



Fahrenheit


www.fahrenheitusa.com

© 2006 Fahrenheit Technologies. www.fahrenheitusa.com

All Rights Reserved.

Specifications And Designs Are Subject
To Change Without Notice.

Printed In U.S.A.





2006

Farenheit **25th** Anniversary

www.farenheitusa.com



Epsilon Electronics, the parent company for Farenheit Electronics was founded in January, 1981. My favorite hobbies included music, which became my passion and my guiding inspiration for launching Epsilon Electronics. Webster's dictionary describes Epsilon "as arbitrarily small quantity in mathematical analysis". I should say my musical Epsilon became and infinite love for music and ultimately the beginnings for my career in Audio.

After attending live music events I found the market needed product that had the possibility of recreating the musical experience that made you feel like you were at a live concert.

We decided once music transitioned to hi-tech studio recordings with esoteric mixer boards, we needed to produce products that were capable of sound reproduction of the most sensitive of musical instruments. We have continued to re-invent our business model to address the needs of an ever changing industry. Today the music has transitioned from analog to digital and added the video component.

Few companies will be able to remain competitive due to these kinds of technological advancements. Our company transitioned from Importer in the early 1980's to a company with design and engineering capabilities in both audio and video. The last eight years have be our most productive years with the

US Patent office awarding us with two design patents (# 406,850 446,589) three full mechanical patents (# 5,956,188 6,196,694 & 6,286,974) and two more mechanical patents are currently pending (# 10/216,908 & 10/281,282).

Few companies in our business have achieved these goals; we will not rest on our laurels this years line-up should give you reason pause with our new digital

M-Pic systems. These will revolutionize the way we think about music and video with portability like an I-Pod without the need for a Computer just to record or edit you source materials. This system is unlike the traditional PMP players due to their flexibility and DVD quality reproduction capabilities. Play out picture on a 15" to 30" flat panel TV and compare with a PMP video signal out-put, I will let you be the judge for picture quality. The sound quality will be better than anything you have ever heard.

You have put your trust in us for 25 wonderful years and I want to personally thank you for that!

Jack Rochel
President

protect your investment by purchasing the only brand to offer these concepts

ical
more
years
new
y we
an
ecord
ike
y and
pic-
e
e the
be
ears

MPIC
page 3~4



CEILING MONI-
TOR
DVD COMBO
page 5~8



CEILING MOUNT
MONITORS
Page 9~10



HEADREST MONI-
TORS Page 11~12



SUNVISOR MONI-
TORS page 13



REAR VIEW MONITORS
page 13



IN-DASH MONITORS
DVD PLAYERS
Page 14~17



VIDEO ACCES-
SORIES
page 18~21



XENON BULBS
page 22



Contents

MPIC

THE MUSIC & PICTURE WIZARD
www.mpic.net

MPIC-10 Universal Multimedia Digital Recorder

We are introducing the World's **First** portable hard drive recorder/player that includes a 3.1 mega pixel color camera into a universal audio video recorder which reproduces all source materials in high resolution.



Home Docking Module



Car Docking Module



The facts:

- Palm size portable unit with 3.5" TFT screen in a aluminum case
- 30 gigabytes of hard drive storage (6,000 songs or 100,000 pictures or 75 hours of **hi-rez video 1280 x 760 WXGA quality**)
- Color camera with 3.1 mega pixel quality (1, 2, 3, 4, x digital zoom)
- Color camera rotates 180 degrees for still pictures or movies
- A/V Camcorder mode allows you to record movies up to 4 hours per file with built in ALC microphone.
- SD card slot for additional picture or video storage.
- Listen to FM broadcast with world wide FM frequencies (76 ~ 108 MHz.)
- 20 presets for FM channel memory retention.
- "GUI" Graphic User Interface for easy navigation by on screen menu's
- Lithium Ion rechargeable battery for portable use on airplanes or in cars as a lap top system.
- High performance ear buds for stellar sound reproduction.
- Car docking module incorporates the hard drive system into your car video monitor system.
- Home docking module, rips movies from your TV, Satellite, DVD player or TiVo hard drive recorder.
- Additional outputs include: RCA Composite, Component Video (RGB), S Video
- A/V Input & Output available from MPIC player via mini plugs to RCA jacks
- Home docking module has built-in speakers for use as a desk top player.
- Video formats supported (M-peg 1, 2, 3, 4-divx, WMV, WMV-HD, AVI, ASF and Xvid).
- System supports NTSC and PAL recorded formats.
- Still picture formats (J-peg 4, 8, 24, bit, Gif and Tiff).
- Audio formats (WMA, MP-3, CBR and VBR).

Supplied accessories:

- USB host adapter, USB cable for computer down loads
- AC adapter and charger
- Stereo headphones
- A/V in and out din cables
- Home docking desk top module
- Car docking windshield suction module

MPIC-5 Universal Multimedia Digital Recorder

We are introducing the most convenient personal media recorder/player that includes a 2.1 mega pixel color camera for capturing those rare vacation memories.



The facts:

- Palm size portable unit with 3.5" TFT screen in a compact stylish aluminum case.
- Audio/Video inputs allow you to rip your favorite TV programs from A/V outputs or Satellite or TiVo hard drive recorder.
- Video reproduction is captured @ (320 x 240 QVGA) records both NTSC and PAL TV formats.
- 32MB of onboard memory
- External memory storage accepts SD card 128MB ~ 1 Gig. (not included)
- Audio recording and playback in WMA & MP-3 formats
- Color camera with 2.1 mega pixel quality (1, 2, 3, or 4 x digital zoom)
- A/V Camcorder mode allows you to record J-PEG/ASF format movies with built in ALC microphone.
- "GUI" Graphic User Interface for easy navigation by on screen menu's in two languages English and Chinese
- Lithium Ion rechargeable battery (4-hours estimated play time) for portable use on airplanes or in cars as a lap top system.
- High performance ear buds for incredibly clear sound reproduction.
- Built-in speaker for viewing with friends
- Video formats supported (J-PEG, ASF).
- System supports NTSC and PAL TV formats.
- Still picture format (J-peg).
- Audio formats (WMA, MP-3).

Supplied accessories:

- USB cable for computer down loads and charging from your computer
- AC adapter and charger
- Stereo headphones
- Stereo mini plug to RCA A/V record/playback cables

CEILING MONITOR/DVD COMBOS

www.farenheitusa.com



MD-2000CM

20 " Wide Combo Flip Down Monitor with DVD & TV Tuner

- Last position memory (Flash memory)
- Playback System (DVD, DVD-R, VCD, SVCD, CD-DA, CD-R/RW, MP3)
- Speed Control for Fast Forward/Reverse(2, 4, 8,16)
- Zoom Screen (1.5, 2, 3, Off)
- NTSC/ PAL Auto Selection
- On Screen Display with Remote Control
- 1 Video/ Audio(R/ L) Inputs
- 1 Video/ Audio(R/ L) Outputs
- Rear Panel (Auxiliary or Game Inputs)
- 2 Screen Modes
- Aspect Ratio 16:9
- Built-in IR Transmitter for Wireless Headphones
- Built-in FM Transmitter
- Dome Lights
- Resolution: 1366 x 768 (WXGA)
- Brightness: 500NIT

DVDSection

DVD/SVCD/VCD/CD/CDR/CDRW/MP-3/DVCD

- Vacuum Loader DVD
- DVD (NTSC & PAL) Selectable
- Dolby Pro-logic/DTS Compatible
- Rear Panel (Auxiliary or Game Inputs)
- Electronic Digital Anti-shock

MD-1700CM

17 " Wide Combo Flip Down Monitor with DVD & TV Tuner

- Last position memory (Flash memory)
- Playback System (DVD, DVD-R, VCD, SVCD, CD-DA, CD-R/RW, MP3)
- Speed Control for Fast Forward/Reverse(2, 4, 8,16)
- Zoom Screen (1.5, 2, 3, Off)
- NTSC/ PAL Auto Selection
- On Screen Display with Remote Control
- 1 Video/ Audio(R/ L) Inputs
- 1 Video/ Audio(R/ L) Outputs
- Rear Panel (Auxiliary or Game Inputs)
- 2 Screen Modes
- Aspect Ratio 16:9
- Built-in IR Transmitter for Wireless Headphones
- Built-in FM Transmitter
- Dome Lights
- Resolution: 1280 x 768 (WXGA)
- Brightness: 450NIT

DVDSection

DVD/SVCD/VCD/CD/CDR/CDRW/MP-3/DVCD

- Vacuum Loader DVD
- DVD (NTSC & PAL) Selectable
- Dolby Pro-logic/DTS Compatible
- Rear Panel (Auxiliary or Game Inputs)
- Electronic Digital Anti-shock



MDM-1200CM Motorized Flip Down

12 " Wide Combo Flip Down Monitor with DVD & TV Tuner

- Adjustable screen angle with remote control
- Last position angle memory
- Last position memory (Flash memory)
- Easy Installation
- Playback System (DVD, DVD-R, VCD, SVCD, CD-DA, CD-R/RW, MP3)
- Speed Control for Fast Forward/Reverse(2, 4, 8,16)
- Zoom Screen (1.5, 2, 3, Off)
- NTSC/ PAL Auto Selection
- On Screen Display with Remote Control
- 2 Video/ Audio(R/ L) Inputs
- 1 Video/ Audio(R/ L) Outputs
- Rear Panel (Auxiliary or Game Inputs)



TR-120GM

GM Trim rim for MDM-1200CM

MD-1510CM

15.1 " Combo Flip Down Monitor with DVD & TV Tuner

- Last Position Memory (Flash Memory)
- Slim and Compact Design
- Easy Installation
- Playback System (DVD, DVD-R, VCD, SVCD, CD-DA, CD-R/RW, MP3)
- Speed Control for Fast Forward/Reverse(2, 4, 8,16)
- Zoom Screen (1.5, 2, 3, Off)
- NTSC/ PAL Auto Selection
- On Screen Display with Remote Control
- 2 Video/ Audio(R/ L) Inputs
- 1 Video/ Audio(R/ L) Outputs
- Rear Panel (Auxiliary or Game Inputs)



- Aspect Ratio 16:9
- Built-in IR Transmitter for Wireless Headphones
- Built-in FM Transmitter
- Dome Lights
- Resolution: 1024 x 600 (WXGA)
- Brightness: 350NIT

DVDSection

DVD/SVCD/VCD/CD/CDR/CDRW/MP-3/DVCD

- Vacuum Loader DVD
- DVD (NTSC & PAL) Selectable
- Dolby Pro-logic/DTS Compatible
- Electronic Digital Anti-shock

TR-120M

Extra Trim rim for MDM-1200CM
Allows cutting for Sculptured Ceilings

- Aspect Ratio 4:3
- Built-in IR Transmitter for Wireless Headphones
- Built-in FM Transmitter
- Dome Lights
- Resolution: 1280 x 800 (XGA)
- Brightness: 400NIT

DVDSection

DVD/SVCD/VCD/CD/CDR/CDRW/MP-3/DVCD

- Vacuum Loader DVD
- DVD (NTSC & PAL) Selectable
- Dolby Pro-logic/DTS Compatible
- Electronic Digital Anti-shock

TR-15

Extra Trim rim for MD-1510CM
Allows cutting for Sculptured Ceilings

- Aspect Ratio 16:9
- 4 Screen Modes
- Built-in IR Transmitter for Wireless Headphones
- Built-in FM Transmitter
- Dome Lights& Rear
- Resolution: 1024 x 600 (XGA)

DVDSection

DVD/SVCD/VCD/CD/CDR/CDRW/MP-3/DVCD

- Vacuum Loader DVD
- DVD (NTSC & PAL) Selectable
- Dolby Pro-logic/DTS Compatible
- Electronic Digital Anti-shock
- Brightness: 400NIT

TR-102

Extra Trim rim for MD-1020CMN
Allows cutting for Sculptured Ceilings

MD-1020CMN

10.2 " Wide THIN Combo Flip Down Monitor with DVD & TV Tuner

- Last Position Memory (Flash Memory)
- Slim and Compact Design
- Easy Installation
- Playback System (DVD, DVD-R, VCD, SVCD, CD-DA, CD-R/RW, MP3)
- Speed Control for Fast Forward/Reverse(2, 4, 8,16)
- Zoom Screen (1.5, 2, 3, Off)
- NTSC/ PAL Auto Selection
- On Screen Display with Remote Control
- Swivel Screen
- 1 Video/ Audio(R/ L) Inputs
- 1 Video/ Audio(R/ L) Outputs
- Rear Panel (Auxiliary or Game Inputs)



CEILING MONITOR/DVD COMBOS



TR-103
Extra Trim rim for MD-1030CM
Allows cutting for Sculptured Ceilings

Motorized Flip Down



TR-96
Extra Trim rim for MD-960CMBG & GR
Allows cutting for Sculptured Ceilings

MD-1030CM

10.4" Combo Flip Down Monitor with DVD Player

- Last Position Memory (Flash Memor
- Slim and Compact Design
- Easy Installation
- Playback System (DVD, DVD-R, VCD, SVCD, CD-DA, CD-R/RW, MP3)
- Speed Control for Fast Forward/Reverse(2, 4, 8,16)
- NTSC/ PAL Auto Selection
- On Screen Display with Remote Control
- Swivel Screen
- 1 Video/ Audio(R/ L) Inputs
- 1 Video/ Audio(R/ L) Outputs
- Rear Panel (Auxiliary or Game Inputs)
- Aspect Ratio 4:3
- Built-in IR Transmitter for Wireless Headphones
- Dome Lights
- Resolution: 1024 x 768 (XGA)
- Brightness : 250NIT

DVD Section DVD/SVCD/VCD/CD/CDR/CDRW/MP-3/DVCD

- Vacuum Loader DVD
- DVD (NTSC & PAL) Selectable
- Dolby Pro-logic/DTS Compatible
- Electronic Digital Anti-shock

MDM-960CMBG (Beige / Neutral color)

MDM-960CMGR (Gray)

9.5 " Wide Combo Flip Down Monitor with DVD

- Last Position Memory (Flash Memory)
- Last position angle memory
- Easy Installation
- Playback System (DVD, DVD-R, VCD, SVCD, CD-DA, CD-R/RW, MP3)
- Speed Control for Fast Forward/Reverse(2, 4, 8,16)
- Zoom Screen (1.5, 2, 3, Off)
- NTSC/ PAL Auto Selection
- On Screen Display with Remote Control
- Swivel Screen
- 2 Video/ Audio(R/ L) Inputs
- 1 Video/ Audio(R/ L) Outputs
- 4 creen modes
- Aspect Ratio 16:9
- Rear Panel (Auxiliary or Game Inputs)
- Built-in IR Transmitter for Wireless Headphones
- Built-in FM Transmitter
- Dome Lights& Rear
- Brightness: 400 NIT
- Resolution: 1024 x 600 (XGA)

DVDSection

DVD/SVCD/VCD/CD/CDR/CDRW/MP-3/DVCD

- Vacuum Loader DVD
- DVD (NTSC & PAL) Selectable
- Dolby Pro-logic/DTS Compatible
- Rear Panel (Auxiliary or Game Inputs)
- Electronic Digital Anti-shock



CMTV-2
TV Tuner Module Fits Modles:
MD-1030CM, MD-950CM, MDM-960CM

MD-950CMBG (Beige / Neutral color)
MD-950CMGR (Gray)
9.5" Wide Combo Flip Down Monitor with DVD

- Last Position Memory (Flash Memory)
- Easy Installation
- Playback System (DVD, DVD-R, VCD, SVCD, CD-DA, CD-R/RW, MP3)
- Speed Control for Fast Forward/Reverse(2, 4, 8,16)
- Zoom Screen (1.5, 2, 3, Off)
- NTSC/ PAL Auto Selection
- On Screen Display with Remote Control
- Swivel Screen
- 2 Video/ Audio(R/ L) Inputs
- 1 Video/ Audio(R/ L) Outputs
- 4 Screen modes
- Aspect Ratio 16:9
- Rear Panel (Auxiliary or Game Inputs)
- Built-in IR Transmitter for Wireless Headphones
- Built-in FM Transmitter
- Dome Lights
- Resolution: 800 x 480 (WXGA)
- Brightness : 400NIT

DVD section DVD/SVCD/VCD/CD/CDR/CDRW/MP-3/DVCD

- Vacuum Loader DVD
- DVD (NTSC & PAL) Selectable
- Dolby Pro-logic/DTS Compatible
- Rear Panel (Auxiliary or Game Inputs)
- Electronic Digital Anti-shock



MD-830CM (Black)
MD-830CMBG (Beige / Neutral color)
MD-830CMGR (Gray)
MD-830CMTV (Black W/TV Tuner)

- 8" Combo Flip down Monitor with DVD
- Last Position Memory (Flash Memory)
- Slim and Compact Design
- Easy Installation
- Playback System (DVD, DVD-R, VCD, SVCD, CD-DA, CD-R/RW, MP3)
- Speed Control for Fast Forward/Reverse(2, 4, 8,16)
- NTSC/ PAL Auto Selection
- On Screen Display with Remote Control
- Swivel Screen
- 1 Video/ Audio(R/ L) Inputs
- 1 Video/ Audio(R/ L) Outputs

- Aspect Ratio 4:3
- Built-in IR Transmitter for Wireless Headphones
- Built-in FM Transmitter
- Dome Lights
- Resolution: 640 x 480 (XGA)
- Panel Brightness: 350 NIT

DVDSection DVD/SVCD/VCD/CD/CDR/CDRW/MP-3/DVCD

- Vacuum Loader DVD
- DVD (NTSC & PAL) Selectable
- Dolby Pro-logic/DTS Compatible
- Rear Panel (Auxiliary or Game Inputs)
- Electronic Digital Anti-shock



T-1502CM
15.2" Universal Ceiling Mount Monitor

- Amorphous Active Matrix Digital TFT/LCD
- Remote Control
- OSD On Screen Display
- Dual A/V Inputs
- Built-in IR Transmitter
- Built-in FM Transmitter
- NTSC / PAL Auto Switchable
- Resolution: 1024 x 768
- Brightness: 400 NIT
- Dimensions: 1.6"(W) x 14.7"(D) x 15.2"(H)



1502GM
GM SUV Vehicle specific overhead for T-1502CM

CEILING MOUNT MONITORS

www.farenheitusa.com



T-1090CM

- 10.4" Swivel universal Ceiling Mount Monitor
- Amorphous Active Matrix TFT/LCD
 - Remote control
 - OSD On Screen Display
 - NTSC/PAL switchable
 - 2 Audio/Video Inputs
 - Built-in IR transmitter
 - Built-In Dome lights
 - Panel Brightness 250 NIT
 - Resolution: 1600x320



T-1012CM

- 10.4" Swivel universal Ceiling Mount Monitor
- Amorphous Active Matrix TFT/LCD
 - Remote control
 - OSD On Screen Display
 - NTSC/PAL switchable
 - 2 Audio/Video Inputs
 - Built-In IR transmitter
 - Built-In FM transmitter
 - Built-In Dome lights
 - Panel Brightness 250 NIT
 - Resolution: 1600x320



T-9520CM

- 9.5" Swivel universal Ceiling Mount Monitor
- Amorphous Active Matrix TFT/LCD
 - Remote control
 - OSD On Screen Display
 - NTSC/PAL switchable
 - 4 screen modes
 - Aspect ratio: 16:9
 - Bass/Treble/Balance/loudness controls
 - 2 Audio/Video Inputs
 - Built-in IR transmitter
 - Built-In FM transmitter
 - Built-In Dome lights
 - Panel Brightness 400 NIT
 - Resolution: 800x480 (WXGA)



T-8006CM

- 8" Swivel universal Ceiling Mount Monitor
- Amorphous Active Matrix TFT/LCD
 - Remote control
 - OSD On Screen Display
 - NTSC/PAL switchable
 - 1 Audio/Video Input
 - Built-in IR transmitter
 - Built-In Dome lights
 - Panel Brightness 350 NIT
 - Resolution: 640x480



T-8004CM

8" Wide (16:9) Swivel universal Ceiling Mount

- Amorphous Active Matrix TFT/LCD
- Remote control
- OSD On Screen Display
- 4 Screen Modes (Full, Cinema, Wide, Zoom)
- NTSC/PAL switchable
- 1 Audio/Video Input
- Built-in IR transmitter
- Built-In Dome lights
- Resolution: 1440 x 234
- Brightness: 400 NIT

CI-23

23" Wide Screen Custom Install TV

- 5/8 Offset Mounting Shroud for Flush mounting with Drywall or MDF
- Amorphous Active Matrix TFT/LCD
- Remote Control
- Inline Remote Eye Repeater for Operating DVD

From the Screen (DVD-36, DVD-61, DVD-63, DVD-27)

- NTSC TV Tuner (quick auto scan w/channel memory)
- Front Controls
- Dual A/V Inputs
- NTSC or PAL Auto Select

- IR Wireless Headphones (8-LED's for wide distribution)
- Wired Stereo Headphone Circuit with Impedance Matching Network
- 30 Watts / Channel Amplification (via push terminals on the chassis)
- High Brightness 400 NIT
- Resolution: 1280 x 768 (SVGA)
- Dimensions: 15.5" x 23.5" x 2.25" (width includes mounting wings 1" ea. side)



CI-15

15" Custom Install TV

- 5/8 Offset Mounting Shroud for Flush mounting with Drywall or MDF
- Amorphous Active Matrix TFT/LCD
- Remote Control
- Inline Remote Eye Repeater for Operating DVD

From the Screen (DVD-36, DVD-61, DVD-63, DVD-27)

- NTSC TV Tuner (quick auto scan w/channel memory)
- Front Controls
- Dual A/V Inputs
- NTSC or PAL Auto Select

- IR Wireless Headphones (8-LED's for wide distribution)
- Wired Stereo Headphone Circuit with Impedance Matching Network
- 30 Watts / Channel Amplification (via push terminals on the chassis)
- High Brightness 450 NIT
- Resolution: 1024 x 768 (SVGA)
- Dimensions: 12" x 17.75" x 2.25" (width includes mounting wings 1" ea. side)



CI-17

17" Wide Screen Monitor

- Amorphous Active Matrix TFT/LCD
- Remote Control
- OSD On Screen Display
- NTSC/PAL Switchable


- Front Controls
- High Brightness: 450 NIT
- Resolution: 1280 x 768
- Dimensions: 16" x 11" x 1.8"



PRE-LOADED UNIVERSAL HEADREST DVD/MONITOR COMBOS

UHR-1BK (Black)
UHR-1BG (Beige / Neutral color)
UHR-1GR (Gray)

- 7" wide screen Universal headrest with built-in DVD
- 4 screen modes (wide, zoom, cinema, normal)
- Aspect ratio 16:9
- Playback system (DVD, DVDR, VCD, SVCD, CD-DA, CD-R/RW, MP-3)
- Last position (flash memory)
- Hi-temperature car spec loader
- NTSC and PAL switchable
- TV tuner (NTSC only)
- Full function remote control
- Adjustable headrest poles (1.5" to 7.75")
- Damped adjustable swivel screens
- Front controls (play, eject, stop, source, power)
- Built-in 2-channel IR transmitter for headphones
- FM transmitter
- OSD (on screen display)
- Side input for second A/V source
- Wired headphone outputs
- Built-in speakers
- 1 pair headrests per package
- Second headrest source works as a slave for A/V 1 or 2
- Brightness 300 NIT



T-6565PKG

- 2 Monitors with 2CH IR, & DVD
- 6.5 TFT/LCD Wide Touch Screen Monitors
- Din to Locking U.S.B. Quick Install System
- 4 Screen Modes (Full, Wide, Cinema, Normal)
- On Screen Display (OSD)
- (NTSC & PAL) Selectable
- Front Headphone Jack
- Touch Screen Technology
- 2 A/V Inputs
- 3 A/V Outputs
- Aspect Ratio 16:9
- Resolution: 1200 x 234
- Panel Brightness: 450 NIT
- Including 2 900 MHZ dual Ch. Wireless Headphones
- Panel Brightness: 450NIT
- Including DVD-61 DVD Player

HEADREST MONITORS



T-7014HR

7" Wide (16:9) Headrest Monitor

- Amorphous Active Matrix TFT/LCD
- Front controls
- Front Headphone Jack
- **2 Audio/video Inputs**
- OSD On Screen Display
- Remote Control
- Panel Brightness: 300NIT
- 4 Screen Mode (Full, Wide, Cinema, Zoom)
- NTSC/PAL switchable
- Resolution: 1440 x 234
- Quick Disconnect DIN Jack



T-7000MHR

7" Wide (16:9) Headrest Module

- Amorphous Active Matrix TFT/LCD
- Including pre-curved headrest Adapter
- Adjustable Installation Depth Headrest Shroud
- 1 Video Input
- OSD On Screen Display
- Remote Control
- Panel Brightness: 400NIT
- 4 Screen Mode (Full, Wide, Cinema, Zoom)
- NTSC/PAL switchable
- Resolution: 1440 x 234
- Dimensions: 7" x 5" x .9"
- Direct Power ON/OFF



T-7013HRS

7" Wide (16:9) Headrest Monitor

- Amorphous Active Matrix TFT/LCD
- Including Pre-Curved Headrest Adapter
- Adjustable Installation Depth Shroud
- 4 Screen Modes (Full, Cinema, Wide, Zoom)
- Injection Molded Case
- OSD On Screen Display
- (NTSC & PAL) Selectable
- 1 Video Input
- Remote Control
- Panel Brightness: 400NIT
- Resolution: 1440 x 234
- Stand Included
- Direct Power ON/OFF



T-6501MH

6.5" (16:9) Headrest Monitor

- Amorphous Active Matrix TFT/LCD Screen
- 5 Screen Modes (Full, Stretch, Cinema, Wide, Zoom)
- Injection Molded Case

- OSD On Screen Display
- (NTSC & PAL) Selectable
- Single Video Input
- Remote Control
- Panel Brightness: 450NIT
- Resolution: 1200 x 234
- Dimensions: 6 x 5 x .75"



T-6502HRS

6.5" (16:9) Headrest Monitor

- Amorphous Active Matrix TFT/LCD Screen
- 5 Screen Modes (Full, Stretch, Cinema, Wide, Zoom)
- OSD On Screen Display
- (NTSC & PAL) Selectable

- **2 Video Inputs**
- Front Controls & Headphone Jack
- Remote Control
- Stand Included
- Panel Brightness: 450NIT
- Resolution: 1200 x 234
- Dimensions: 6 x 5 x 1"

SUNVISOR MONITORS



T-7027MSV

7" Wide (16:9) Sun visor Monitor

- Amorphous Active Matrix TFT/LCD
- 1 Video Input
- OSD On Screen Display
- Remote Control
- Panel Brightness: 400NIT
- 4 Screen Mode (Full, Wide, Cinema, Zoom)
- NTSC/PAL switchable
- Resolution: 1440 x 234
- Dimensions: 9" x 5" x .9"
- Direct Power ON/OFF



T-7029MSV

7" Wide (16:9) Sun visor Monitor

- Amorphous Active Matrix TFT/LCD
- 1 Video Input
- OSD On Screen Display
- Remote Control
- 3 Screen Mode (Full, Wide, normal)
- Injection Molded Case
- Front Controls
- Resolution: 1440 x 234
- Dimension: 9" x 5" x .7"
- Brightness: 300NIT



T-6509MSV

6.5" (16:9) Visor Monitor

- Amorphous Active Matrix TFT/LCD Screen
- 5 Screen Modes (Full, Stretch, Cinema, Wide, Zoom,)
- Injection Molded Case
- OSD On Screen Display
- (NTSC & PAL) Selectable
- Single Video Input
- Remote Control
- Panel Brightness: 450NIT
- Resolution: 1200 x 234
- Dimensions: 6.25 x 3.75 x 1"

REARVIEW MONITORS

The Easiest way to add entertainment and security to your vehicle.



T-3506S 3.5" Windshield Or Dash Mountable Rear View Monitor

- Amorphous Active Matrix TFT/LCD Screen
- Automatic Mirror Image Selector for Back-up Camera
- Clip-on Kid View Monitor & Mirror
- OSD On Screen Display
- Swivel Screen 0 to 180 Degrees L/R Up/Down
- 1 A/V Inputs
- Brightness: 280NIT
- Resolution: 600 x 234
- Dimensions: 3.75 x 3.75 x .75"



TM-55C 5" Navigation & Kid Mirror Monitor

- Amorphous Active Matrix TFT/LCD Screen
- Automatic Mirror Image Selector for Back-up Camera
- Invisi-monitor Mirror
- Clip On Mounting kit fits all cars
- OSD On Screen Display
- 1 Camera Input
- 2 A/V Inputs
- Built-In Speaker
- NTSC/PAL switchable
- Digital Clock
- Remote Control
- Resolution: 960 x 234
- Brightness: 400 NIT



TID-420

AVN-421 Same with Navigation

4.2" TFT/LCD Motorized drop front panel with multiple angle options with last angle memory

- Touch Screen
- DVD, CD, MP-3, CD-R, CD-RW
- Last position memory
- Hi-temperature car spec loader
- Repeat, intro, random
- On screen display title, time, chapter, subtitle and angle
- Anti-shock mechanism with ESP digital memory
- PLL synthesized AM/FM super heterodyne tuner
- 30 pre-sets (12-AM/18-FM)
- Auto store pre-set scan
- LO/DX and stereo mono selector switch
- Electronic Volume, Bass, Treble, Balance, Fader
- 50 x 4 channel high power
- Digital clock
- USB mini input
- Win CE 4.2 Operation for navigation model
- CF card storage (4G byte) for navigation model
- 2 A/V inputs
- RCA line outputs
- Sub woofer outputs
- Rear view function
- Dolby digital outputs
- PAL/NTSC color system
- Telephone Mute Function
- Full function remote control
- Brightness: 400 NIT
- ISO/DIN



TID-720

AVN-721 Same with Navigation

6.5" TFT/LCD Motorized drop front panel with multiple angle options with last angle memory

- Touch Screen
- DVD, CD, MP-3, CD-R, CD-RW
- Last position memory
- Hi-temperature car spec loader
- Repeat, intro, random
- On screen display title, time, chapter, subtitle and angle
- Anti-shock mechanism with ESP digital memory
- PLL synthesized AM/FM super heterodyne tuner
- 30 pre-sets (12-AM/18-FM)
- Auto store pre-set scan
- LO/DX and stereo mono selector switch
- Electronic Volume, Bass, Treble, Balance, Fader
- 50 x 4 channel high power
- Digital clock
- USB mini input
- Win CE 4.2 Operation for navigation model
- CF card storage (4G byte) for navigation model
- 2 A/V inputs
- RCA line outputs
- Sub woofer outputs
- Rear view function
- Dolby digital outputs
- PAL/NTSC color system
- Telephone Mute Function
- Full function remote control
- Brightness: 350 NIT
- ISO/DIN

IN-DASH DVD PLAYERS



TOUCH SCREEN

TID-898TS In-dash Fully Motorized 7" Wide TFT/LCD Monitor w/ DVD Player

- DVD, DVDR, DVD, MP3, CD, CDR, CDRW Player
- 4 Screen Modes (Full, Cinema, Wide, Zoom)
- AM/FM Radio with Presets
- Built-in TV Tuner With Diversity Circuitry
- Front Panel Display
- 6 Channel High Power (50W x 4 & 25W x 2)
- 6 Channel Pre-amp Output
- Jog Shuttle Volume Control
- 3 A/V Inputs / 1 Camera Input / 1 A/V Output
- Motorized Screen Telescopes Out & Up/Down
- 5.1 dolby digital & DTS digital Outputs
- Dual Zone A/V

- Adjustable Viewing Angle For Left/Right
- Bass/Treb/Fader/Bal Control
- OSD On Screen Display
- Remote Control
- Brightness: 400NIT
- Resolution: 1440 x 234
- Dolby Pro-logic/DTS Compatible Optical or Coaxial
- Digital Anti-shock
- NTSC/PAL
- ISO/DIN
- Auto Dimmer
- Detachable Front Face

TID-895 In-dash Fully Motorized 7" Wide TFT/LCD Monitor w/ DVD Player



- DVD, DVDR, DVD, MP3, CD, CDR, CDRW Player
- 4 Screen Modes (Full, Cinema, Wide, Zoom)
- AM/FM Radio with Presets
- Built-in TV Tuner With Diversity Circuitry
- Front Panel Display
- 6 Channel High Power (50W x 4 & 25W x 2)
- 6 Channel Pre-amp Output
- Jog Shuttle Volume Control
- 2 A/V Inputs / 1 Camera Input / 1 A/V Output
- Motorized Screen Telescopes Out & Up/Down

- Adjustable Viewing Angle For Left/Right
- Bass/Treb/Fader/Bal Control
- OSD On Screen Display
- Remote Control
- Brightness: 400NIT Resolution: 1440 x 234
- Dolby Pro-logic/DTS Compatible Optical or Coaxial
- Digital Anti-shock
- NTSC/PAL
- ISO/DIN
- Auto Dimmer



TID-400 3.6" wide screen TFT/LCD Motorized drop front panel with multiple angle options with last angle memory

- DVD, DVDR, CD, MP-3, CD-R, CD-RW
- Last position memory
- Hi-temperature car spec loader
- Repeat, intro, random
- On screen display title, time, chapter, subtitle and angle
- Anti-shock mechanism with ESP digital memory
- Detachable face
- PLL synthesized AM/FM super heterodyne tuner
- 30 pre-sets (12-AM/18-FM)
- Auto store pre-set scan

- LO/DX and stereo mono selector switch
- Electronic Volume, Bass, Treble, Balance, Fader
- Preset EQ
- 50 x 4 channel high power
- Digital clock
- USB mini input
- Auxiliary input
- 4 RCA line outputs
- Sub woofer outputs
- Rear View Input
- Dolby digital outputs
- PAL/NTSC color system
- USA/Europe frequency switch
- Panel Brightness: 250 NIT
- Full function remote control
- ISO/DIN



TID-300 2.5" wide screen TFT/LCD Motorized drop front panel with multiple angle options with last angle memory

- DVD, DVDR, CD, MP-3, CD-R, CD-RW
- Last position memory
- Hi-temperature car spec loader
- Repeat, intro, random
- On screen display title, time, chapter, subtitle and angle
- Anti-shock mechanism with ESP digital memory
- Detachable face
- PLL synthesized AM/FM super heterodyne tuner
- 30 pre-sets (12-AM/18-FM)
- Auto store pre-set scan
- LO/DX and stereo mono selector switch
- Electronic Volume, Bass, Treble, Balance, Fader

- Preset EQ
- 50 x 4 channel high power
- Digital clock
- USB mini input
- Auxiliary input
- 4 RCA line outputs
- Sub woofer outputs
- Rear View Input
- Dolby digital outputs
- PAL/NTSC color system
- USA/Europe frequency switch
- Panel Brightness: 250 NIT
- Full function remote control
- ISO/DIN



DVD-27 In-Dash DVD, DVDR,, MP3, CD, CDR,CDRW Player
DVD-29T **Same W/Built-In TV Tuner**

- Drop door full detachable face
- Built-in AM/FM PLL Radio
- 30 presets , Store/Scan/Seek
- Slot Loader for Multiple Angle Mounting
- Dolby Pro-Logic/DTS Compatible
- 4 CH Hi power (50wx4)
- 4 CH RCA Outputs
- Dancing Spectrum Analyzer
- Remote Control
- Aux input
- Amp Trigger

- OSD On Screen Display
- Digital Anti-Shock
- NTSC/PAL Switchable
- ISO/DIN
- Preset EQ
- Loud/Mute
- Extra Large Multi-color LCD Display
- Clock
- Elec. Vol/Bal/Bass/Tre/Fad
- Last Position Memory



IN DASH DVD PLAYERS



DVD-61 In-Dash DVD, DVD-R, CD, MP-3, CDR, CDRW, Player
 DVD-63T Same W/Built-In TV Tuner

- Slot Loading DVD for Multiple Angle Mounting
- **Last Position Memory**
- Dolby Pro-logic/DTS Compatible
- Remote Control
- Accessory Remote Eye
- Dual Screen Outputs
- **Front And Rear Inputs**
- OSD On Screen Display
- Digital Anti-shock
- NTSC/PAL Selectable
- Floor & Under Dash Mounting Bracket
- ISO/DIN



DVD-36 In-Dash DVD, DVD-R, MP3, CD, CDR, CDRW Player

DVD-37T Same W/Built-In TV Tuner

- Slot Loading DVD for Multiple Angle Mounting
- In-Dash, Floor & Under Dash Mounting Brackets
- Front Panel A/V RCA Inputs
- Flash Memory Recall
- Dolby Pro-logic/DTS Compatible
- Remote Control
- Accessory Remote Eye
- OSD On Screen Display
- Digital Anti-shock
- NTSC/PAL Selectable
- DIN Size Trim Ring For Dash Mounting
- Cigarette Lighter Plug
- Dimensions: 6.4" x 6.2" x 2"



DVD-45 **Half Din** In-Dash DVD, DVD-R, MP3, CD, CDR, CDRW Player

- Slot Loading DVD for Multiple Angle Mounting
- In-Dash, Floor & Under Dash Mounting Brackets
- **Last Position Memory**
- Dolby Pro-logic/DTS Compatible
- Remote Control
- Accessory Remote Eye
- OSD On Screen Display
- Digital Anti-shock
- NTSC/PAL Selectable
- Optical & Coaxial Outputs

MOBILE VIDEO ACCESSORIES

all the accessories you need for you mobile entertainment needs.



AVIR-4 Wireless Audio/Video Controller

- 4 AV inputs & 4AV outputs
- All Outputs Independently Selectable Via IR Wireless Remote
- Remote Eye & Remote Control
- Four 12volt output Triggers on Molex connectors



AVIR-5 Wireless Audio/Video Controller

- 4 AV inputs & 4AV outputs
- All Outputs Independently Selectable Via IR Wireless Remote
- Remote Eye & Remote Control
- Four 12volt output Triggers on Molex connectors



TUNER-5R 69 Channel TV Tuner

- **Built-In FM Transmitter**
- 4 Channel Diversity Antenna Inputs On Mini-jacks
- Remote Control Operation Via 18' Remote Eye
- Inputs For Accessory Back-up Camera
- Dual AV Inputs
- Dual AV Outputs



TUNER-42R 69 Channel TV Tuner

- 2 Booster Antenna Inputs On Mini-jacks
- Remote Control Operation Via 18' Remote Eye
- Dual AV Inputs
- Single AV Outputs



Home AV Switcher

AVST-4 Wireless Audio/Video Controller

- 4AV inputs & 4AV outputs
- All Outputs Independently Selectable Via Wall Mount Control Pad
- Video Input Impedance: 75 Ohm / RCA Composit
- Audio Input Impedance: 8.2k Ohm
- Dimensions: 1.5" x 8" x 5"
- CAT-5 Cable Connectable Between Control Pad & Main unit Up to 300 m
- Total 350 mA power consumption
- Switching 12 Volt DC Power Adapter (optional)



LP-1C License Plate Color Camera

- 1/3" CCD 1 LUX Low Light Color Camera
- Multiple Camera Angle
- Din Connector & RCA Outputs
- **Reversed Image**



CCD-1 Weather Proof Rear View Camera

- 1/3" CCD 1 LUX Low Light Color Camera
- Din Connector & RCA Outputs
- Adjustable Impact Resistant Swivel Housing
- **Reversed Image**



CCD-2 Bullet Style Color Camera

- 1/3" CCD 1 LUX Low Light Color Camera
- Din Connector & RCA Outputs
- **Reversed Image**

CMS-2 Same In CMOS Version



CCD-3 Bullet Style Color Camera

- Built-In 12 LEDs For Excellent Night Vision'
- 1/3" CCD 1 LUX Low Light Color Camera
- Din Connector & RCA Outputs
- **Reversed Image**

CMS-3 Same In CMOS Version

CMS-1 Same In CMOS Version

MOBILE VIDEO ACCESSORIES



- WLHP-1S Wireless Infrared Headphone**
- Adjustable Headphone Straps
 - Single Channel UHF IR TX Wave Head Phone Receiver
 - Receives Broadcasts Up To 180° From Transmitter
 - ON/OFF Switch Saves Battery Life
 - Variable Volume Control
 - ALC Auto Level Control



- WLHP-2IR Wireless Infrared Headphones**
- Adjustable Headphone Straps
 - Single Channel UHF IR TX Wave Headphone Receiver
 - Including IR Transmitter
 - Receives Broadcasts Up To 180° From Transmitter
 - ON/OFF Switch Saves Battery Life
 - Variable Volume Control
 - ALC Auto Level Control



- WLHP-2x2IR 2 CH Wireless Infrared Headphones**
- Adjustable Headphone Straps
 - 2 Channel UHF IR TX Wave Headphone Receiver
 - Including IR Transmitter
 - Receives Broadcasts 180° Angle
 - ON/OFF Switch Saves Battery Life
 - Variable Volume Control
 - ALC Auto Level Control



- WLHP-1x2 2CH Wireless Infrared Headphones**
- Adjustable Headphone Straps
 - 2 Channel UHF IR TX Wave Head Phone Receiver
 - Receives Broadcasts Up To 180° From Transmitter
 - ON/OFF Switch Saves Battery Life
 - Variable Volume Control
 - ALC Auto Level Control



- WLHP-3RF Wireless Radio Frequency Headphone**
- Adjustable Headphone Straps
 - Single Channel RF TX Wave Headphone Receiver
 - ON/OFF Switch Saves Battery Life
 - Variable Volume Control
 - ALC Auto Level Control



- WLHP-4RFT 2 Radio Frequency Headphone and Transmitter**
- Adjustable Headphone Straps
 - Single Channel RF TX Headphone Receiver
 - ON/OFF Switch Saves Battery Life
 - Variable Volume Control
 - ALC Auto Level Control



- VB-1 One In & Four Output Video Signal Booster**
- Four Individual Output Trimmer Gain Controls
 - Shielded Metal Housing For Noise Rejection
 - 4 Video Output Gain controls



- AB-1 Twin Audio Booster**
- Dual Source Inputs With Line Balancing to 2 Volts
 - Independent Output Trimmer Pots For Each Source
 - Shielded Metal Housing For Noise Rejection



- EFM-100 PLL FM Modulator**
- PLL Phase Lock Loop Tuner Outputs
 - 100 Frequency Settings On Up & Down Buttons
 - LCD Display For Viewing Channels
 - Shielded Metal Housing For Noise Rejection

MOBILE VIDEO ACCESSORIES



- EFM-01 PLL FM Modulator**
- PLL Phase Lock Loop Tuner Outputs
 - 8 Frequency Settings On Selectable DIP Switches
 - Shielded Metal Housing For Noise Rejection



- EFM-02 PLL FM Modulator**
- PLL Phase Lock Loop Tuner Outputs
 - 3 Frequency Settings Via Slide Switch
 - Ground Loop Isolator Circuit
 - Shielded Metal Housing For Noise Rejection



- EFM-04 PLL FM Modulator**
- PLL Phase Lock Loop Tuner Outputs
 - 7 Frequency Settings Via Slide Switch
 - Ground Loop Isolator Circuit
 - Shielded Metal Housing For Noise Rejection



- FMT-3 FM Transmitter**
- Wireless 3 CH FM Transmitter
 - Easy Installation
 - Shielded Housing For Noise Rejection



- FMT-8 PLL FM Transmitter**
- Wireless 8ch FM Transmitter
 - Easy Installation
 - Shielded Housing For Noise Rejection



- FMT-40D PLL FM Transmitter**
- Wireless 40ch FM Transmitter
 - 40 Frequency Settings On Up/Down Buttons
 - LCD Display For Viewing Channels
 - Easy Installation
 - Shielded Housing For Noise Rejection




- ANT-1 4 Channel Diversity Twin Antennas**
- Antenna leads, (4 Mini-plugs)
 - Cable Length 12 Feet
 - Receives Signals On Ch. 2-13 & 14-69
 - Output Impedance: 75 Ohm



- ANT-4VCR Booster Antenna**
- Mini-plug/RG-59 Cable Style Connector
 - Single Channel Input 20dB.Gain
 - Cable Length 12 Feet
 - Receives Signals On Ch. 2-13 & 14-69
 - Output Impedance: 75 Ohm



- ANT-5SUPER Booster Antenna**
- Super Enhanced Reception
 - Mini-plug/RG-59 Cable Style Connector
 - Single Channel Input 20dB.Gain
 - Cable Length 12 Feet
 - Receives Signals On Ch. 2-13 & 14-69
 - Output Impedance: 75 Ohm



- FILM-1 4 Channel Diversity Twin Film Antennas**
- Super Enhanced Reception
 - Antenna leads, (4 Mini-plugs)
 - Cable Length 12 Feet
 - Receives Signals On Ch. 2-13 & 14-69
 - Output Impedance: 75 Ohm



- FILM-4VCR Booster Film Antenna**
- Super Enhanced Reception
 - Mini-plug/RG-59 Cable Style Connector
 - Single Channel Input 20dB.Gain
 - Cable Length 12 Feet
 - Receives Signals On Ch. 2-13 & 14-69
 - Output Impedance: 75 Ohm



- GOOSE 16 Heavy Duty 16" Goose Neck**
- Accepts 7/16 Seat Bolt

- GOOSE 22 Heavy Duty 22" Goose Neck**
- Accepts 7/16 Seat Bolt

MOBILE VIDEO ACCESSORIES



INV-1 300 Watt 12 Volt Power Inverter

- Regulated DC
- Single Output 110 Volts 60 Cycles
- Use For Video Games (Nintendo, Sega, X-Box, etc.)



INV-2 600 Watt 12 Volt Power Inverter

- Regulated DC
- Dual Outputs 110 Volts 60 Cycles
- Use For Video Games (Nintendo, Sega, X-Box, etc.)



GP-1 Game Plate Control

- On/Off Power Switch
- Gold Plated RCA's
- Injection Molded Housing
- Easy Snap-on Mounting System



MS-2 Butterfly Style Monitor Stand

- TV Monitor Stand & Back Slide



HB-1 (Patent Pending)

- New Universal Installation Free Bracket
- Eliminates The Need To Cut Headrests
- Installation In Less Than 2 Minutes
- Makes All Monitors Detachable (anti-theft)
- Universal Size For All Size Brackets
- Fits All Size Monitors & Every Brand
- Ideals For Leased Cars
- Adjustable Mounting Base



Audio Video RCA Cables
Double Shielded RCA Connectors
Finely Braided Screen
S-VHS with High Conductivity Copper Coil



AVC-1.5 1.5 Feet RCA Cables

AVC-9 9 Feet RCA Cables

AVC-3 3 Feet RCA Cables

AVC-12 12 Feet RCA Cables

AVC-6 6 Feet RCA Cables

AVC-17 17 feet RCA Cables

XENON SUPER WHITE BULBS



Fahrenheit Super White and Plasma Xenon charged blue bulbs reduce eyestrain and increase safety by sharpening your view. They give you clarity, brilliance and sparkle of HID (high intensity discharge) lighting systems. They reflect much better on road markings and signs and make you less tired during night time driving.



- All Models Come in Pairs

- New quart glass holding twice air pressure for high intensity gas loading and extra long life time.



H1 12V 100W	H3 12V 100W	H4 12V 100/90W	H7 12V 100W	9004 12V 100/80W	9005 12V 100W	9006 12V 80W	9007 12V 100/80W
-----------------------	-----------------------	--------------------------	-----------------------	----------------------------	-------------------------	------------------------	----------------------------



SUPER WHITE SERIES

H8 12V 35W	H9 12V 65W	H11 12V 55W	H13/900 12V 55/65W
----------------------	----------------------	-----------------------	------------------------------